

(804) 814-7404

sales@alorawindows.com

www.alorawindows.com



ALORA

WINDOWS

DOORS



Alora Build Windows + Doors



@alora.windows



@AloraWindows



Alora Windows specializes in modern European custom windows and doors residential and commercial. Garage Doors with pedestrian door, specialty tempered glass, glass railing shower glass , insect roller blinds.

Our VISION:

To be an American leader in the production of PVC and aluminum joinery offering support to all our partners.

Our MISSION:

To produce windows and doors that have certified features and are manufactured and delivered at the highest standards required by the market.

Our VALUES:

Alora Build is a brand characterized mainly by excellence and professionalism, but, at the same time, we endeavor to be kind and supportive. In all our processes we adhere to passion, respect, quality and elegance.

Veka 82



PRODUCT GEOMETRY

3.22"

3 sealing gaskets mm
7 frame insulation chambers
6 sash insulation chambers

MAXIMUM INSULATING GLASS UNIT THICKNESS

1.88"

THERMAL PERFORMANCE

$U_w \geq 0,77 \text{ W/m}^2 \text{ K}$

ACOUSTIC INSULATION

47 dB

PROFILE CLASS

A



*THE PHOTOS ARE FOR INFORMATIONAL PURPOSES ONLY

Das Qualitätsprofil
★★★★★



The VEKA 82MD system stands out with its exceptional performance thanks to the integration of a median gasket. With an innovative multichamber geometry, this system offers excellent thermal insulation. At the same time, its efficiency in the production and assembly processes recommends it as a wise choice for projects.



Veka 82 DOOR



ALORA
Windows & Doors

PRODUCT GEOMETRY

3.22"

1 sealing gasket
6 sash insulation chambers

MAXIMUM INSULATING
GLASS UNIT THICKNESS

1.88"

THERMAL PERFORMANCE

$U_w \geq 0,9 \text{ W/m}^2 \text{ K}$

ACOUSTIC INSULATION

47 dB

PROFILE CLASS

A



*THE PHOTOS ARE FOR INFORMATIONAL PURPOSES ONLY

Das Qualitätsprofil
★★★★★



With an innovative geometry with multiple chambers, this system offers excellent thermal insulation. Its efficiency in the production and assembly process makes it the right choice for any project.



Veka 70 AD



PRODUCT GEOMETRY

2.75"

2 sealing gaskets 5 insulation chambers

MAXIMUM INSULATING GLASS UNIT THICKNESS

1.41"

THERMAL PERFORMANCE


$U_w \geq 1,0 \text{ W/m}^2 \text{ K}$

ACOUSTIC INSULATION

44 dB

PROFILE CLASS

A



*THE PHOTOS ARE FOR INFORMATIONAL PURPOSES ONLY

Das Qualitätsprofil
★★★★★



Thanks to its timeless design with slightly rounded lines and narrow profile elements, VEKA 70 AD is an industry classic. With a frame depth of 70 mm, VEKA 70 AD offers a broad range of efficient design options thanks to the varied profile palette.



Veka 70 DOOR



PRODUCT GEOMETRY

2.75"

1 sealing gasket
3 insulation chambers

MAXIMUM INSULATING
GLASS UNIT THICKNESS

1.41"

THERMAL PERFORMANCE

$U_w \geq 1,1 \text{ W/m}^2 \text{ K}$

ACOUSTIC INSULATION

44 dB

PROFILE CLASS

A



*THE PHOTOS ARE FOR INFORMATIONAL PURPOSES ONLY

Das Qualitätsprofil
★★★★★★



Thanks to its timeless design with slightly rounded lines and narrow profile elements, VEKA 70 AD is an industry classic. With a frame depth of 70 mm, VEKA 70 AD offers a broad range of efficient design options thanks to the varied profile palette.



DOOR HANDLES



greenteQ

schüring



White Cream Silver Brown Silver



White Silver Gold Bronze Brown Black



White Silver Brown



White Silver Brown



White Silver

Gold Bronze

Brown Black



White Silver

Gold Bronze

Brown Black



GLASS

Glass represents approximately 80% of a joinery's surface. Alora Windows equips its products with SAINT GOBAIN GLASS or GUARDIAN glazings that meet the thermal, acoustic and security requirements, whilst ensuring the desired indoor ambiance. Their winter/summer comfort function maintains a pleasant interior atmosphere throughout the year, with the sheen of its coating giving the space a touch of elegance.



TECHNICAL SPECIFICATIONS

ESG tempered glass is, on average, 4 times more resistant than a standard glass to changes in temperature, strong winds and impacts. When cracked, it breaks down into small pieces without any sharp edges. Laminated glass is composed of two or more simple glass sheets glued together with a PVB film which, in case of breakage acts as a medium to which the shards remain glued, therefore preventing possible accidents. Tempered glass aims to protect both users against accidents and buildings against break-ins. For design purposes or to protect you from prying eyes, Alora offers you a wide range of decorative glass with a large number of models, textures and colors. Also, for added style and elegance, you can choose between georgian and astragal bars. These can be of different sizes, colors and shapes, made of PVC or Aluminum.

**A
L
O
R
A**

TEMPERED GLASS



COLOR PALETTES

With a palette of over 100 colors and effects (different wood imitations as well as solid matte or metallic colors) we offer a customized solution for everyone's taste, ensuring diversity, durability and color resistance over time. You can opt for white on two sides, white on the inside/color on the outside or color on both sides. The three options for gaskets perfectly complement the profile offer. Depending on Alora's standard regarding gasket to PVC body color combinations, the available options are: gray gaskets on white and cream profile bodies, black gaskets on gray and brown bodies and caramel gaskets on caramel bodies


ANTHRACITE
GREY SMOOTH



JET BLACK SFTN



SHEFFIELD OAK
LIGHT



CREAMY
WHITE



BOG OAK




GOLDEN OAK



WALNUT



WHITE




GREY



QUARZ GREY




GROUP 1




ANTHRACITE
GREY

ARCH INVISIBLE



**HANDLE INTEGRATED WITHIN THE SASH.
THE HANDLE IS IMPERCEPTIBLE FROM A FRONT VIEW**



Color reproductions are only partial and approximate. For the complete and accurate color range, please consult the official Alora Windows color palettes.

AVAILABLE BODY COLOR OPTIONS:

OptiPro 82 - white, cream, brown, caramel, gray OptiPro Motion/Motion Max - white OptiPro Premidor - white

COLORS OF THE GASKETS. IN THE CASE OF LAMINATED PROFILES

Gray gasket - White profile, Ivory profile Black gasket - Gray profile, Brown profile Caramel gasket - Caramel profile

GROUP 2

Agate Grey	Metbrush	Messing Douglas	Alux Aluminium	Zink Yellow	Macore	Oregon	Shogun AD
Brushed Aluminium	Sapeli	Siena Noce	Mountain Pine	Crown Platin	Metbrush Anthrazite Grey	Papyrus White	Shogun AF
Alux DB 703	Slate Grey	Siena Rosso	Black Cherry	Dark Green	Metbrush Platin	Pastel Green	Signal Grey
Basalt Grey	Chocolate Brown	Brillant Blue	Dark Red	Metbrush Quarz Grey	Quarz Platin	Steel Blue	
Brilliant White	Dark Brown	Concrete Gray	Earl Platin	Metbrush Silver	Quarz Grey Smooth	Wine Red	
Dark Oak	Slate Grey Smooth	Brown Maron	Oak Light	Moosgrun	Rustic Cherry	Agate Grey Smooth	
Metalic Grey	Basalt Grey Smooth	Kobalt Blue	Oak Rustical	Mountain Oak	Dark Grey	Black Smooth 2	
Hellelfenbein	Strip Douglas	Rosewood	Irish Oak	Ultimate Anthrazite Grey	Sheffield Oak Grey		
Light Grey	Winchester XA	Drak Grey Smooth	Jet Black Stylo	Black Ultimate	Shogun AC		

GROUP 3

EXPLORE OUR GALLERY



SEE MORE ON:






OUR SERVICES



ALUMINUM | WINDOWS AND DOORS



UPVC | WINDOWS AND DOORS



CURTAIN WALL



SHOWER GLASS



RAILING

OUR SERVICES



GARAGE DOORS



ACCESORIES | BLINDS, EXTERIOR SHUTTER, BUILT IN BLINDS



SKYLIGHTS



PATIO SLIDING DOORS



MAIN ENTRY DOORS



ALORA
Windows & Doors



**LET'S CONNECT AND
WE WILL MAKE YOUR
PROJECT COME
ALIVE!**

Contact Us



(804) 814-7404



www.alorawindows.com



sales@alorawindows.com



Alora Windows & Doors
6841 Forest Hill Ave Unit
#216 Richmond, VA 23225